

L Number	Hits	Search Text	DB	Time stamp
5	51	(((544/279).CCLS.) ((514/264.1).CCLS.)) AND ((("[2,3-d]" OR "(2,3-d)" OR "2,3-d" OR "pyrido[2,3-d]" OR "pyrido(2,3-d)" OR "pyrido2,3-d" ) WITH "2"))	USPAT; US-PGPUB	2004/08/09 14:54

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1611txm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1	Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	"Ask CAS" for self-help around the clock
NEWS	3	May 12 EXTEND option available in structure searching
NEWS	4	May 12 Polymer links for the POLYLINK command completed in REGISTRY
NEWS	5	May 27 New UPM (Update Code Maximum) field for more efficient patent SDIs in Cplus
NEWS	6	May 27 Cplus super roles and document types searchable in REGISTRY
NEWS	7	Jun 28 Additional enzyme-catalyzed reactions added to CASREACT
NEWS	8	Jun 28 ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)
NEWS	9	Jul 12 BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS
NEWS	10	Jul 30 BEILSTEIN on STN workshop to be held August 24 in conjunction with the 228th ACS National Meeting
NEWS	11	AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and display fields
NEWS	12	AUG 02 Cplus and CA patent records enhanced with European and Japan Patent Office Classifications
NEWS	13	AUG 02 STN User Update to be held August 22 in conjunction with the 228th ACS National Meeting
NEWS	14	AUG 02 The Analysis Edition of STN Express with Discover! (Version 7.01 for Windows) now available
NEWS	15	AUG 04 Pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! will change September 1, 2004
NEWS EXPRESS		JULY 30 CURRENT WINDOWS VERSION IS V7.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 26 APRIL 2004
NEWS HOURS		STN Operating Hours Plus Help Desk Availability
NEWS INTER		General Internet Information
NEWS LOGIN		Welcome Banner and News Items
NEWS PHONE		Direct Dial and Telecommunication Network Access to STN
NEWS WWW		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 14:56:39 ON 09 AUG 2004

=> file reg

FILE 'REGISTRY' ENTERED AT 14:59:12 ON 09 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 AUG 2004 HIGHEST RN 724421-42-5

DICTIONARY FILE UPDATES: 8 AUG 2004 HIGHEST RN 724421-42-5

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.



Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10015532.str

\* CH<sub>2</sub> \*      O      14  
                 || \*      \* 12 \*      1 \*  
                 \*      \*      \*



chain nodes :

11 12 13 14 19 20

ring nodes :

10/015,532

Thomas McKenzi

1 2 3 4 5 6 7 8 9 10

chain bonds :

8-11 9-19 13-14 19-20

ring bonds :

1-2 1-6 2-3 3-4 4-5 4-7 5-6 5-10 7-8 8-9 9-10

exact/norm bonds :

4-7 5-10 7-8 8-9 8-11 9-10 13-14 19-20

exact bonds :

9-19

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom

11:Atom 12:CLASS 13:CLASS 14:CLASS 19:CLASS 20:CLASS

L1 STRUCTURE UPLOADED

=> s l1

SAMPLE SEARCH INITIATED 14:59:27 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 130 TO ITERATE

100.0% PROCESSED 130 ITERATIONS

1 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*

BATCH \*\*COMPLETE\*\*

PROJECTED ITERATIONS: 1916 TO 3284

PROJECTED ANSWERS: 1 TO 80

L2 1 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 14:59:36 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 2963 TO ITERATE

100.0% PROCESSED 2963 ITERATIONS

21 ANSWERS

SEARCH TIME: 00.00.01

L3 21 SEA SSS FUL L1

=> file ca caold; s l3

FILE 'CA' ENTERED AT 14:59:53 ON 09 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CAOLD' ENTERED AT 14:59:53 ON 09 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

L4 2 L3

=> d 1-2 cbib pi hitstr

L4 ANSWER 1 OF 2 CA COPYRIGHT 2004 ACS on STN


137:337907 Preparation of N-(heteroarylalkyl)acylamides as CXCR3 antagonists for treatment of inflammatory or immune conditions. Medina, Julio C.; Johnson, Michael G.; Li, An-Rong; Liu, Jiwen; Huang, Alan Xi; Zhu, Liusheng; Marcus, Andrew P. (Tularik Inc., USA). PCT Int. Appl. WO 2002083143 A1 20021024, 205 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2001-US47850 20011211. PRIORITY: US 2000-PV255241 20001211; US 2001-PV296499 20010606.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2002083143	A1	20021024	WO 2001-US47850	20011211
W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM	
RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG	
US 2002169159	A1	20021114	US 2001-15532	20011211
EP 1343505	A1	20030917	EP 2001-273533	20011211
R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR	
US 2003069234	A1	20030410	US 2002-164690	20020606
US 2003055054	A1	20030320	US 2002-231895	20020829
NO 2003002612	A	20030805	NO 2003-2612	20030610

IT 473720-05-7P  
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)  
 (CXCR3 antagonist; preparation of N-(heteroarylalkyl)acylamides as CXCR3 antagonists for treatment of inflammatory or immune conditions)

RN 473720-05-7 CA

CN Benzeneacetamide, N-[1-[3,4-dihydro-4-oxo-3-[4-(2,2,2-trifluoroethoxy)phenyl]pyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-(3-pyridinylmethyl)-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)




IT 473718-93-3P 473719-41-4P 473719-45-8P  
 473719-49-2P 473719-90-3P 473719-95-8P  
 473720-16-0P 473720-18-2P 473720-19-3P  
 473720-20-6P 473720-21-7P 473720-22-8P  
 473720-23-9P 473720-24-0P 473720-25-1P  
 473720-26-2P 473720-30-8P 473722-68-8P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU  
 (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES  
 (Uses)

(CXCR3 antagonist; preparation of N-(heteroarylalkyl)acylamides as CXCR3  
 antagonists for treatment of inflammatory or immune conditions)

RN 473718-93-3 CA


CN [1,1'-Biphenyl]-4-acetamide, N-(2-ethoxyethyl)-N-[1-[3-(4-ethoxyphenyl)-  
 3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]- (9CI) (CA INDEX  
 NAME)



RN 473719-41-4 CA

CN Benzeneacetamide, N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-  
 oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-(3-pyridinylmethyl)-4-  
 (trifluoromethoxy)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 473719-45-8 CA

CN Benzeneacetamide, N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-  
 oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-(3-pyridinylmethyl)-4-  
 (trifluoromethyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 473719-49-2 CA


CN Benzeneacetamide, N-(2-ethoxyethyl)-N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-(trifluoromethyl)- (9CI)  
(CA INDEX NAME)

Absolute stereochemistry.




RN 473719-90-3 CA

CN Benzeneacetamide, N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-(3-pyridinylmethyl)-3-(trifluoromethoxy)- (9CI)  
(CA INDEX NAME)




RN 473719-95-8 CA

CN Benzeneacetamide, N-[[2-(dimethylamino)-3-pyridinyl]methyl]-N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 473720-16-0 CA

CN Benzeneacetamide, N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-[2-(4-morpholinyl)ethyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)



RN 473720-18-2 CA


CN Benzeneacetamide, N-[1-[3-(4-cyanophenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-(3-pyridinylmethyl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 473720-19-3 CA




CN Benzeneacetamide, N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-(1H-indol-3-ylmethyl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 473720-20-6 CA

CN Benzeneacetamide, N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-[2-(4-methyl-1-piperazinyl)ethyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 473720-21-7 CA

CN Benzeneacetamide, N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-(2-thienylmethyl)-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 473720-22-8 CA


CN Benzeneacetamide, N-[2-[(1,1-dimethylethyl)methylamino]ethyl]-N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 473720-23-9 CA

CN Benzeneacetamide, N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-[(1-methyl-1H-pyrazol-4-yl)methyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 473720-24-0 CA

CN Benzeneacetamide, N-[[4-(dimethylamino)phenyl]methyl]-N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 473720-25-1 CA

CN Benzeneacetamide, N-[(2-cyclopropyl-5-pyrimidinyl)methyl]-N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 473720-26-2 CA

CN Benzeneacetamide, N-[(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-[[6-(1-pyrrolidinyl)-3-pyridinyl]methyl]-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.




RN 473720-30-8 CA

CN Benzeneacetamide, N-[(1S)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-(3-pyridinylmethyl)-4-(trifluoromethoxy)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).




RN 473722-68-8 CA  
 CN Benzeneacetamide, N-[1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-4-fluoro-N-(3-pyridinylmethyl)-3-(trifluoromethyl)-  
 (9CI) (CA INDEX NAME)



IT 473720-93-3P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
 (Reactant or reagent)  
 (intermediate; preparation of N-(heteroarylalkyl)acylamides as CXCR3  
 antagonists for treatment of inflammatory or immune conditions)  
 RN 473720-93-3 CA  
 CN Carbamic acid, [(1R)-1-[3-(4-ethoxyphenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl](3-pyridinylmethyl)-, 1,1-dimethylethyl ester (9CI)  
 (CA INDEX NAME)

Absolute stereochemistry.



L4 ANSWER 2 OF 2 CA COPYRIGHT 2004 ACS on STN

134:252352 Preparation of 3-aryl-2-aryluroidoalkylquinazolin-4-ones and related compounds as mediators of hedgehog signaling pathways.. Baxter, Anthony David; Boyd, Edward Andrew; Guichert, Oivin M.; Price, Stephen; Rubin, Lee D. (Curis, Inc., USA). PCT Int. Appl. WO 2001019800 A2 20010322, 177 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2. APPLICATION: WO 2000-US25461 20000915. PRIORITY: US 1999-PV154526 19990916; US 1999-PV159412 19991014; US 1999-PV162899 19991101.

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001019800	A2	20010322	WO 2000-US25461	20000915
WO 2001019800	A3	20011206		
WO 2001019800	C2	20021003		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
EP 1216234	A2	20020626	EP 2000-963551	20000915
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003509414	T2	20030311	JP 2001-523380	20000915
US 6545005	B1	20030408	US 2000-663835	20000915

IT 330796-36-6P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation of 3-aryl-2-aryluroidoalkylquinazolin-4-ones and related compds. as mediators of hedgehog signaling pathways)

RN 330796-36-6 CA

CN Urea, N-[1-[3-(4-fluorophenyl)-3,4-dihydro-4-oxopyrido[2,3-d]pyrimidin-2-yl]ethyl]-N-methyl-N'-[3-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)

10/015,532

Thomas McKenzi



=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:.

STN INTERNATIONAL LOGOFF AT 15:00:55 ON 09 AUG 2004